# HEART FAILURE


#### **2020 EDUCATIONAL CALENDAR**



Healthcare provider's name	Pharmacy name	
Healthcare provider's phone number	Pharmacy phone number	



www.IndyPatientSafety.org



Heart failure means the heart is not pumping blood through the body as well as it should. Blood and fluid back up around the heart and lungs causing difficulty breathing and swelling.

In most cases, heart failure cannot be cured. One of the most important things you can do is to monitor your own health by paying attention to your body and how you feel. Many people can manage the symptoms of heart failure and live relatively normal lives.

Learning the signs of worsening heart failure can help you know what to do if you experience these symptoms. Call your Health Care Provider if you experience symptoms.

#### **CAUSES OF HEART FAILURE**

- HEART ATTACK
- HIGH BLOOD PRESSURE
- DIABETES
- LUNG DISEASE
- HEART INFECTIONS
- DEFECTIVE HEART VALVES

### HEART FAILURE ZONES FOR MANAGEMENT

#### **GREEN ZONE**



#### **ALL CLEAR**

- No shortness of breath
- No swelling
- No weight gain
- No chest pain
- No decrease in your ability to maintain your activity level

#### **GREEN ZONE MEANS:**

- Your symptoms are under control.
- Continue taking your medications as ordered.
- Continue daily weight monitoring.
- Follow a low-salt diet.
- Keep all Health Care Provider appointments.

Your goal is to be in the GREEN Zone.

#### **YELLOW ZONE**



#### CAUTION

- Weight gain of 2-3 lbs overnight or 5 lbs in a week
- Increased cough and/or swelling
- Increase in shortness of breath with activity
- Increase in the number of pillows needed
- Need to sit in chair to sleep
- Anything else unusual that bothers you

#### **YELLOW ZONE MEANS:**

Your symptoms may indicate that you need an adjustment of your medications.

Call your Health Care Provider now.

Call your Health Care Provider if you are in the YELLOW zone.

#### **RED ZONE**



#### **MEDICAL ALERT**

- Unrelieved shortness of breath including at rest
- Unrelieved chest pain
- Wheezing or chest tightness at rest
- Confusion

#### **RED ZONE MEANS:**

This indicates that you need to be evaluated by a doctor right away.

Call 911.

Call 911 immediately if you are in the RED zone.



#### SIGNS OF HOLDING ON TO WATER

- Swelling (edema) may occur in the feet, ankles, legs, hands, waist and or belly, or face.
- Rings and/or clothes may become tight or not fit.

#### **SPECIAL INSTRUCTIONS**

Weigh yourself in the morning, after urinating (with the same amount of clothes on), and before eating or drinking anything. Record your weight in your calendar.

You should weigh yourself daily to find out if your body is holding onto extra fluid which makes your heart work harder.

**Goal:** Recognize a small amount of water retention before you develop serious symptoms from it.

Fluids are heavy. A gallon of water weighs 8 1/3 pounds. Your body can hold 8 – 15 extra pounds of fluid before you develop swelling.

Call your Health Care Provider or doctor if you gain 2 to 3 pounds in one day or 5 pounds in one week.


## **JANUARY**

SUNDAY	DAY MONDAY		TUES	DAY	WEDN	SDAY	THUR	SDAY	FRI	DAY	SATUR	DAY
					1 New Ye	ar's Day	2		3		4	
					Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
					Note		Note		Note		Note	
5	6		7		8		9		10		11	
Weight ZC	ONE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note				Note	
12	13		14		15		16		17		18	
Weight ZC	NE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
19	20 Dr. Mar King	tin Luther	21		22		23		24		25	
Weight ZC	ONE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
26	27		28		29		30		31			
Weight ZC	NE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE		
Note	Note		Note		Note		Note		Note			

# LOW-SODIUM (SALT)

Your health could be improved by following a low-sodium diet. Salt causes you to hold onto water, which raises blood pressure and makes the heart work harder.

Follow your Health Care Provider's instructions for your diet and sodium intake.



#### **Nutrition Facts**

8 servings per container

Serving size

2/3 cup (55g)

### Amount per serving Calories

230

% Dai	ly Value*
Total Fat 8g	10%
Saturated Fat 1g	5%
Trans Fat 0g	
Cholesterol 0mg	0%
Sodium 160mg	7%
Total Carbohydrate 37g	13%
Dietary Fiber 4g	14%
Total Sugars 12g	
Includes 10g Added Sugars	20%
Protein 3g	
Vitamin D 2mcg	10%
Calcium 200mg	15%
Iron 8mg	45%
Potassium 235mg	6%

\* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.

#### **TRY THESE TIPS**

- **Stop adding salt to food.** Take the salt shaker off the table. Do not salt food when cooking. When eating out, ask for no added salt to be cooked with your food.
- Choose low-sodium food versions. Use salt substitutes (with doctor's approval) and seasonings (pepper, basil, cinnamon, curry, garlic, oregano, nutmeg, sage or lemon juice) to add flavor.
- Pick food naturally low in salt. Eat fresh or plain frozen vegetables, not canned.
- Learn to read food labels. Pay attention to the serving size and number of mg of sodium. If you eat two serving sizes, don't forget to double the amount of sodium.
- Frozen meals and heart-healthy meals vary in sodium content, read labels carefully.



SUNDAY	MONI	DAY	TUES	DAY	WEDNI	ESDAY	THUR	SDAY	FRIC	DAY	SATUR	RDAY
											<b>1</b> Weight	ZONE
											Note	
2	3		4		5		6		7		8	
Weight ZON	IE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
9	10		11		12		13		14 Valent	tine's Day	15	
Weight ZON	IE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
16	17 Preside	ents' Day	18		19		20		21		22	
Weight ZON	IE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
23	24		25		26		27		28		29	
Weight ZON	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	

## LOW-SODIUM (SALT) DIET

#### **LOW-SALT FOODS**

Fresh fruit

Fruit juice

fresh, frozen or canned

Hot cereals

oatmeal, wheat and oat

(not instant)

Shredded wheat

Puffed rice cereals

Granola cereal

Grits

Pasta

Rice

**Barley** 

**Unsalted nuts** 

Unsalted, low-fat butter

or margarine

**Vegetables** 

fresh or frozen

Vanilla wafers

Coffee

JELL-O

**Dried Beans** 

Unsalted

or Air-Pop Popcorn

#### **MEDIUM-SALT FOODS**

Fresh beef

Fresh pork

Fresh poultry

Fresh fish

Fresh lamb

1 egg

Fruit-filled cookies

1/2 cup ice cream

Milk

Yogurt

Mustard, chili and hot sauce (1 tsp.)

**Bread** 

**Enalish muffins** 

Olives

1/4 cup of grated cheese

Cereal

rings, nuggets and flakes

Canned tuna (3 oz.)

Natural Peanut Butter

Cream Cheese



#### **HIGH-SALT FOODS**

Bacon

**Canned beans** 

Cottage cheese

Most cheeses

**Pancakes** 

Tomato juice

Chicken broth

Cornbread

Dill pickles

Frozen Food

pizza, frozen meals







SUN	DAY	MON	DAY	TUES	DAY	WEDNI	ESDAY	THUR	SDAY	FRI	DAY	SATUR	RDAY
1		2		3		4		5		6		7	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note		Note		Note		Note	
8		9		10		11		12		13		14	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note		Note		Note		Note	
15		16		17 St. Pat	rick's Day	18		19		20		21	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note		Note		Note		Note	
22		23		24		25		26		27		28	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note		Note		Note		Note	
29		30		31									
Weight	ZONE	Weight	ZONE	Weight	ZONE								
Note		Note		Note									

# FATIGUE

GENERAL FATIGUE OR TIREDNESS
CAN BE COMMON IN PEOPLE
WITH HEART FAILURE.

If you feel more tired than normal, this could be an early warning sign of worsening heart failure.

#### **SPECIAL INSTRUCTIONS:**

- Plan for adequate sleep and rest periods.
- Group similar activities together such as carrying items up stairs.
- Ask family and friends for help.
- Sit while bathing and grooming.
- Wear clothes with elastic or zippers to make it easier to get dressed.
- Be as active as you can but don't overexert yourself. Activity is the best treatment for chronic fatigue.

If you are weaker than yesterday, feel unusually tired or feel tired for no reason, call your Health Care Provider.



SUNDAY	MONDAY TUE			MONDAY TUESDAY WEDNESDAY				FRII	DAY	SATUR	DAY
				1		2		3		4	
				Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
				Note		Note		Note		Note	
5	6	7		8		9		10		11	
Weight ZONE	Weight ZO	ONE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note	Note		Note		Note		Note		Note	
12	13	14		15		16		17		18	
Weight ZONE	Weight ZO	ONE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note	Note		Note		Note		Note		Note	
19	20	21		22		23		24		25	
Weight ZONE	Weight ZO	ONE Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note	Note		Note		Note		Note		Note	
26	27	28		29		30					
Weight ZONE	Weight ZO	ONE Weight	ZONE	Weight	ZONE	Weight	ZONE				
Note	Note	Note		Note		Note					

# PHYSICAL ACTIVITY



Your heart needs some activity to remain fit. Even a little movement each day helps to strengthen your heart.

Follow your Health Care Provider's instructions for activity level. If you are in the process of changing medications, some activity may be restricted.

Increase your activity level slowly and steadily as you can tolerate it.

Set realistic goals.

Allow time to rest throughout the day.

Remember to warm up and cool down for five minutes by gently stretching.

Your goal should be to exercise for 30 minutes on most days. This can be broken into three, 10-minute sessions per day. Try exercising during commercial breaks while watching TV.

You should be able to carry on a conversation while exercising. If you're unable to easily talk, slow down! Avoid activities that cause you to strain!

If you develop shortness of breath or chest pain and it doesn't improve greatly with rest, call your Health Care Provider.

#### **IDEAS TO GET STARTED:**

- If you get up and get dressed each day, you'll feel more like being active.
- Make a plan and stick to it.
- Reward yourself along the way.

#### **DO NOT EXERCISE IF:**

- The outdoor temperature is above 80 or below 40 (Exercise indoors instead)
- You're already short of breath at rest
- You already feel exhausted
- You have a fever or a known infection or feel ill
- You have chest pain
- Your Health Care Provider instructed you not to

#### **EXERCISES TO GET YOU STARTED:**

- Simple stretching, chair exercises and strengthening exercises can be done at home (try stretching or lifting canned goods during TV commercials).
- Include activities such as: housework, gardening and exercise shows/tapes (which are free to check out at the library).
- Add extra movement to things you do now (walk to the mailbox, park your car farther from the door in parking lots, etc.).

#### **STOP EXERCISING IF YOU:**

- Feel dizzy or lightheaded
- Have chest pain/tightness or if you have pain in your arms, shoulder or jaw
- Have an irregular heartbeat
- Are sweating severely
- Feel like you're going to vomit or you do vomit



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
					Weight ZONE Change	Weight ZONE Change
Weight ZONE Change	Weight ZONE Change	5 Weight ZONE Change	6 Weight ZONE Change	7 Weight ZONE Change	8 Weight ZONE Change	9 Weight ZONE Change
10 Mother's Day Weight ZONE Change	11 Weight ZONE Change	12 Weight ZONE Change	13 Weight ZONE Change	14 Weight ZONE Change	15 Weight ZONE Change	16 Weight ZONE Change
17 Weight ZONE Change	18 Weight ZONE Change	19 Weight ZONE Change	20 Weight ZONE	21 Weight ZONE Change	Weight ZONE Change	23 Weight ZONE Change
24 Weight ZONE Change	25 Weight ZONE	26 Weight ZONE Change	27 Weight ZONE	28 Weight ZONE Change	29 Weight ZONE Change	30 Weight ZONE Change
31 Weight ZONE Change						



These symptoms are caused by fluids building up in and around the lungs.

Therefore, you may need to be prescribed a diuretic or "water pill" to help rid the body of extra salt and fluid.

- Have you noticed labored breathing that occurs when lying flat?
- Have you noticed that you are sleeping with extra pillows or even up in a chair?
- Do you find yourself waking up from sleep coughing or short of breath?

#### **COUGH – MAY BE CHRONIC**

- Our concern is if your cough is worsening.
- Are you bringing up mucous? If so, is it thick or thin? What color?
- Are you wheezing?

If you notice you're having any of these symptoms, call your Health Care Provider.



SUNDAY	MON	DAY	TUES	DAY	WEDNI	ESDAY	THUR	SDAY	FRII	DAY	SATUR	RDAY
	1		2		3		4		5		6	
	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
	Note		Note		Note		Note		Note		Note	
7	8		9		10		11		12		13	
Weight ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
14	15	<u> </u>	16		17		18	<u> </u>	19		20	
Weight ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
21 Father's Day	22		23		24		25		26		27	
Weight ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note		Note		Note		Note		Note		Note	
28	29		30									
Weight ZONE	Weight	ZONE	Weight	ZONE								
Note	Note		Note									

# EDEMA

# EDEMA: Extra fluid in tissue (also known as swelling)

The swelling can be so severe that the skin stretches and becomes tight. In severe cases, the skin can crack and "seep" fluid. (This is especially dangerous for people with diabetes.)

#### YOU MAY NOTICE SWELLING IN THE:

- Feet, ankles, or legs
- Hands
- Abdomen or belly
- Face

#### WHAT CAN I DO?

- Use less salt. (Sodium)
- Take medicine as ordered.
- Cut back on fluids.
- Weigh yourself every day.
- Elevate swollen areas if symptoms occur.



If you notice swelling in any part of the body, call your Health Care Provider.



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
			1	2	3	4 Independence Day
			Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE
			Note	Note	Note	Note
5	6	7	8	9	10	11
Weight ZONE						
Note						
12	13	14	15	16	17	18
Weight ZONE						
Note						
19	20	21	22	23	24	25
Weight ZONE						
Note						
26	27	28	29	30	31	
Weight ZONE						
Note	Note	Note	Note	Note	Note	

# SHORTNESS OF BREATH

#### Also known as Dyspnea

Dyspnea is labored or difficult breathing, which sometimes causes discomfort. It is normal with strenuous exercise but is not normal with daily activity or when you are resting.

..........

Dyspnea happens when the body needs more oxygen than the heart and lungs can deliver.

This happens with worsening heart failure because the heart doesn't pump as well as it should, and this causes fluid to build up around the lungs.

#### WHAT CAN I DO TO HELP MY DYSPNEA?

- Take medications as directed.
- Use less salt (sodium) in your diet.
- Stop smoking, and avoid second-hand smoke.
- Rest if shortness of breath occurs.

#### **Resources for Tobacco Quitting Programs:**

Marion County Public Health Department at 317.221.2084

The Indiana Tobacco Quitline at 1.800.784.8669 (1.800.QuitNow)





SUNDAY	Y	MON	DAY	TUES	DAY	WEDNE	SDAY	THURS	DAY	FRIC	PAY	SATUR	DAY
												Weight Change	ZONE
Weight Change	ZONE	Weight Change	ZONE	Weight Change	ZONE	<b>5</b> Weight Change	ZONE	<b>6</b> Weight Change	ZONE	Weight Change	ZONE	<b>8</b> Weight Change	ZONE
<b>9</b> Weight Change	ZONE	10 Weight Change	ZONE	11 Weight Change	ZONE	12 Weight	ZONE	13 Weight Change	ZONE	14 Weight Change	ZONE	15 Weight Change	ZONE
16 Weight Change	ZONE	17 Weight Change	ZONE	18 Weight Change	ZONE	19 Weight Change	ZONE	20 Weight Change	ZONE	<b>21</b> Weight Change	ZONE	<b>22</b> Weight Change	ZONE
<b>23</b> Weight Change	ZONE	<b>24</b> Weight Change	ZONE	25 Weight Change	ZONE	<b>26</b> Weight Change	ZONE	27 Weight Change	ZONE	28 Weight Change	ZONE	29 Weight Change	ZONE
30 Weight Change	ZONE	31 Weight Change	ZONE										

# DIURETICS

Also called "Water Pills"

- Diuretics help your heart by getting rid of salt and extra fluid.
   This lessens the workload of the heart, which makes breathing easier and can decrease swelling.
- Some diuretics can cause the body to lose potassium, a mineral needed for the heart to work properly.
- If you notice leg cramps, this could be a sign of low potassium, so let your doctor know.



A common side effect of diuretics is dizziness. This happens when you lose too much fluid. Let your doctor know if you experience dizziness, but do NOT stop taking your medication unless you're instructed to.



Weigh yourself every morning, and record it. This will help your doctor decide if you're losing too much or not enough fluid. Since diuretics will cause you to have to urinate frequently, take it as early in the day as possible so it does not wake you up at night. Also, plan daily trips around the time that you notice the most active effect. This is usually two to three hours after taking it.

## SEPTEMBER

SUNDAY	MONDAY	TUESDAY		WEDNE	SDAY	THUR	SDAY	FRII	DAY	SATUR	RDAY
		1		2		3		4		5	
		Weight Z	ONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
		Note		Note		Note		Note		Note	
6	7 Labor Day	8		9		10		11		12	
Weight ZONI	Weight ZON	E Weight Z	ONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note	Note		Note		Note		Note		Note	
13	14	15		16		17	<u></u>	18		19	
Weight ZONI	Weight ZON	E Weight Z	ONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note	Note		Note		Note		Note		Note	
20	21	22		23		24		25		26	
Weight ZONI	Weight ZON	E Weight Z	ONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note	Note	Note		Note		Note		Note		Note	
27	28	29		30							
Weight ZONI	Weight ZON	E Weight Z	ONE	Weight	ZONE						
Note	Note	Note		Note							

# 

If you are having trouble remembering to take your medications, consider using a pillbox.



Use a pillbox marked with days of the week. Fill it on the same day every week, and keep it somewhere you will always see/remember it.



Take your pills at the same time every day.

If you're on a medication that causes side effects, discuss this with your Health Care Provider; do NOT stop taking the medicine. It may be possible to change or adjust the medicine. Also, a lot of irritating side effects may fade with time.

Keep a list of all your medications. It's a good idea to keep it in a safe place but also where you or a loved one could easily get to it (for example, in your wallet or purse). Please remember to take this list with you to Health Care Provider appointments.

If you're having trouble paying for medicines, let your Health Care Provider know. There may be ways to get financial help if you ask. Please take all medication as prescribed even if you feel better.

Never run out of medicine. Reorder when you have about four days worth left. This will give you time to actually get the pills before your current bottle is empty.


If you're going to be away from home and won't be able to easily get to your medicines, take that day's worth of medicine with you (such as when visiting family or a day with multiple doctors' visits).

If you have any questions about your medications, ask your Pharmacist or Health Care Provider.

### **OCTOBER**

Weigh yourself every day, and write it down. Call if you gain more than 2 to 3 pounds in one day or 5 pounds in one week.


Know what zone you are in daily. Place a check mark in your zone each day.



Do you snore or are you very tired during the day?

If so, you may have

# OBSTRUCTIVE SLEEP APNEA OR "OSA"



#### SLEEP APNEA HURTS **H.E.A.R.T.S.**

by increasing the risk of:

- H Heart Failure
- **E Elevated Blood Pressure**
- A Atrial Fibrillation
- R Resistant Hypertension
- T Type 2 Diabetes
- S Stroke

- OSA is very common and affects many people.
- OSA is a sleep disorder in which a person stops breathing for short periods of time during their sleep cycle.
- These short periods result in a lack of oxygen for the heart, brain and other organs in the body.
- Your Health Care Provider may refer you to a sleep center so you can get evaluated by a sleep specialist to see if you have OSA.
- For more information link to http://sleepeducation.org/

## NOVEMBER

SUN	DAY	MON	DAY	TUES	DAY	WEDNI	ESDAY	THUR	SDAY	FRII	DAY	SATUR	RDAY
1		2		3		4		5		6		7	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note		Note		Note		Note	
8		9		10		11 Vetero	ans' Day	12		13		14	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note				Note		Note	
15		16		17		18		19		20		21	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note		Note		Note		Note	
22		23		24		25		26 Thank	ksgiving	27		28	
Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE	Weight	ZONE
Note		Note		Note		Note		Note		Note		Note	
29		30											
Weight	ZONE	Weight	ZONE										
Note		Note											

# A-FIB (ATRIAL FIBRILLATION)

#### A-Fib is the most common heart rhythm problem



Many A-Fib patients also have a diagnosis of Heart Failure. In addition, A-Fib can also put you at risk for a heart attack or stroke.

#### Reduce your risk of developing A-Fib

- Getting treatment for obstructive sleep apnea
- Controlling your blood pressure
- Not drinking a lot of alcohol in one sitting (limit to 1 to 2 drinks in one day)
- Cutting down on caffeine
- Getting treatment for an overactive thyroid gland
- Getting regular exercise
- Losing weight (if you are overweight)

#### What are possible complications of A-Fib?

- Blood clots
- Stroke
- Heart failure

#### A-Fib may not cause symptoms. If symptoms do occur, they may include:

- A fast, pounding, irregular heartbeat Feeling as though your heart is racing, skipping beats, or beating out of sync
- Having trouble breathing, especially with exercise
- Tiredness
- Dizziness or fainting
- Mild chest "tightness" or pain

#### **Treating A-Fib**

- Medicines to control the speed or rhythm of the heartbeat
- Medicines to keep clots from forming
- A treatment called "cardioversion" that involves applying a mild electrical current to the heart to fix its rhythm
- Treatments called "ablation," which use heat
  ("radiofrequency ablation") or cold ("cryoablation") to
  stop that small part of the heart that is sending abnormal
  electrical signals
- A device called a pacemaker that is implanted in your body and sends electrical signals to the heart to control the heartbeat

#### Know the symptoms of stroke: BE FAST

#### B - Balance:

Ask the person to walk if they are able to. Is there a sudden loss of balance or coordination?

#### E - Eyes:

Is there a change in vision in one of both eyes including blurry, double or loss of vision?

#### F - Face:

Ask the person to smile. Is there facial dropping or an uneven smile?

#### A - Arms:

Ask the person to raise both arms. Does one side drift downward? Is there weakness or numbness on one side?

#### S - Speech:

Ask the person to repeat a simple sentence. Is there slurred, garbled, or jumbled speech?

#### T - Time:

Call 911 for immediate medical help if you notice one or more of these signs. Also, take note of the times when symptoms began.

If you experience any symptoms for A-Fib please contact your Cardiologist or Healthcare Provider to be seen. If you are experiencing STROKE symptoms it is IMPORTANT to CALL 911 and get to the hospital as soon as possible after any symptoms begin. There are treatment options available for stroke, but they only work within a certain amount of time. Every minute you wait is brain tissue lost.

## DECEMBER

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
		1	2	3	4	5
		Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE
		Note	Note	Note	Note	Note
6	7	8	9	10	11	12
Weight ZONE	Weight ZONE	: Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE
Note	Note	Note	Note	Note	Note	Note
13	14	15	16	17	18	19
Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE
Note	Note	Note	Note	Note	Note	Note
20	21	22	23	24	25	26
Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE
Note	Note	Note	Note	Note	Note	Note
27	28	29	30	31 New Year's Eve		
Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE	Weight ZONE		
Note	Note	Note	Note	Note		



#### WHEN YOU GO TO YOUR APPOINTMENT WITH YOUR HEALTH CARE PROVIDER:

- Bring a list of medications or pill bottles with you.
- Bring a list of concerns and questions.
- Bring this calendar and all your notes to your appointment.
- Know your health care plan before you leave the office.

www.IndyPatientSafety.org